## IN THE CLAIM

1	1. (Currently Amended) A method for allocating [a] an N number of registers for use in
2	conjunction with modification of a block of programming code, comprising the
3	steps of:
4	identifying a first statement allocating registers, the first statement is
5	associated with a block of programming code;
6	identifying first parameters associated with used in the first statement; and
7	by using the number N and the first parameters as inputs, generating new
8	second parameters for use in the a second statement to allocate the
9	N number of registers, which are for use in code instrumentation of
0	the block of programming code.
1	2. (Currently Amended) The method of claim 1 wherein the <u>first</u> parameters and the <del>new</del>
2	second parameters each include a parameter identifying a number I of input
3	registers, a parameter identifying a number L of local registers, and a parameter
4	identifying a number O of output parameters registers.
1	3. (Currently Amended) The method of claim 2 wherein the step of generating new the
2	second parameters comprises the step of modifying the number O of the first
3	parameters to generate the number O of the new second parameters.
1	4. (New) The method of claim 2 wherein the step of generating the second parameters
2	comprises the step of using the number N and the number O of the first parameters
3	as inputs in generating the number O of the second parameters.

1	5. (New) The method of claim 2 wherein the number O of the second parameters equals
2	the number N plus the number O of the first parameters.
1	6. (New) A computer-readable medium embodying instructions for performing a method
2	for allocating an N number of registers, the method comprising the steps of:
3	identifying a first statement allocating registers, the first statement is
4	associated with a block of programming code;
5	identifying first parameters used in the first statement; and
6	by using the number N and the first parameters as inputs, generating
7	second parameters for use in a second statement to allocate the N
8	number of registers, which are for use in code instrumentation of
9	the block of programming code.
1	7. (New) The computer-readable medium of claim 6 wherein the first parameters and the
2	second parameters each include a parameter identifying a number I of input
3	registers, a parameter identifying a number L of local registers, and a parameter
4	identifying a number O of output registers.
1	8. (New) The method of claim 7 wherein the step of generating the second parameters
2	comprises the step of modifying the number O of the first parameters to generate
3	the number O of the second parameters.
1	9. (New) The method of claim 7 wherein the step of generating the second parameters
2	comprises the step of using the number N and the number O of the first parameters
3	as inputs in generating the number O of the second parameters.

2	the number N plus the number O of the first parameters.
1	11. (New) A system allocating an N number of registers, comprising:
2	a first statement allocating registers, the first statement is associated with a
3	block of programming code;
4	means for identifying first parameters used in the first statement; and
5	means for generating second parameters for use in a second statement to
6	allocate the N number of registers, which are for use in code
7	instrumentation of the block of programming code;
8	wherein generating the second parameters uses the number N and the first
9	parameters as inputs.
1	12. (New) The system of claim 11 wherein the first parameters and the second parameters
2	each include a parameter identifying a number I of input registers, a parameter
3	identifying a number L of local registers, and a parameter identifying a number O
4	of output registers.
1	13. (New) The system of claim 12 wherein generating the second parameters comprises
2	modifying the number O of the first parameters to generate the number O of the
3	second parameters.
1	14. (New) The system of claim 12 wherein generating the second parameters comprises
2	using the number N and the number O of the first parameters as inputs in
3	generating the number O of the second parameters.

10. (New) The method of claim 7 wherein the number O of the second parameters equals

1

## HP PDNO 10005775-1 USPTO serial number 09/765,931

- 1 15. (New) The system of claim 12 wherein the number O of the second parameters equals
- 2 the number N plus the number O of the first parameters.